


USER MANUAL


Web service

WSPRICING FEED

Project: Web service WSPricing Feed		
Title: User Manual Web service WSPricing Feed		
Version 1.0	Last Modification:01/07/2011	

Index:

- 1 Document control 3
- 2 XML message definitions 4
 - 2.1 Pricing Search by Sea 4
 - 2.1.1 Request Message Definition 5
 - 2.1.2 Segments Definition 6
 - 2.1.3 Response Message Definition 7
 - 2.1.4 Segments Definition 9
 - 2.2 Search by Sea..... 11
 - 2.2.1 Request Message Definition 11
 - 2.2.2 Segments Definition 12
 - 2.2.3 Response Message Definition 13
 - 2.2.4 Segments Definition 15
- 3 Header Description 17
- 4 Examples 18
 - 4.1 Pricing Search by Sea..... 18
 - 4.2 Search by Sea 22
- 5 Appendix – NCL Tables. 28
 - 5.1 Table 1 – Geographic Area Code 28
 - 5.2 Table 2 – Cruise Line Code 28
 - 5.3 Table 3 – Ship Code – Ship Name 29
 - 5.4 Table 4 – Port Codes – Port Names..... 30
 - 5.5 Table 5 – PriceType 33

Project: Web service WSPricing Feed		
Title: User Manual Web service WSPricing Feed		
Version 1.0	Last Modification:01/07/2011	


1 Document control

General Information:

Title:	User Manual Web service WSPricing Feed
Created by:	IST Servicios Informáticos, S.L
File Name:	Web service user manual V1.0.doc

Reviews:

Version	Date	Author	Coments
1.0	25/10/2010	Certification team	Initial Version.

Project: Web service WSPricing Feed		
Title: User Manual Web service WSPricing Feed		
Version 1.0	Last Modification:01/07/2011	


2 XML message definitions

2.1 Pricing Search by Sea

This function allows to search available sailings and prices in a period of time. The most economic price for Inside, OutSide, Suite, Balcony locations will be returned for each sailing.

This transaction should only be used for 2 passengers (double occupation).

To use message SearchBySeaPricing.


Project: Web service WSPricing Feed		
Title: User Manual Web service WSPricing Feed		
Version 1.0	Last Modification:01/07/2011	

2.1.1 Request Message Definition

```

<RequestSearchBySeaPricing>
  <Header>
    <CruiseLineCode></CruiseLineCode>
    <SubsystemId></SubsystemId>
    <AgencyId1> </AgencyId1>
    <AgencyId2></AgencyId2>
    <Currency></Currency>
    <AgencyConsumer />
    <TransactionCounter></TransactionCounter>
  </Header>
  <SearchBySea>
    <Sea></Sea>
    <DepartureDate></DepartureDate>
    <Guests></Guests>
    <Price />
    <Age1 />
    <Age2 />
    <Age3 />
    <Age4 />
  </SearchBySea>
</RequestSearchBySeaPricing>

```


Project: Web service WSPricing Feed		
Title: User Manual Web service WSPricing Feed		
Version 1.0	Last Modification:01/07/2011	

2.1.2 Segments Definition

Element Name	Type	Maximum Length	Occurs	Additional Information
RequestSearchbySeaPricing	-	-	1	
Header	-	-	1	View Header description.
SearchBySea			1	
Sea	A	5	1	Valid values can be found in Appendix - NCL Tables ,Table 1.
DepartureDate	A	21	1	Format for "date from" - "date to" is DD/MM/CCYY- DD/MM/CCYY (4)
Guests	N	1	1	(1)
Price	A	3	1	(2)
Age1	N	3	1	(3)
Age2	N	3	1	(3)
Age3	N	3	1	(3)
Age4	N	3	1	(3)

Notes

1. You must use "2" - will return for double occupation.
2. You must use "BKD" - will return the amount for each category without taxes.
3. Not used for NCL.
4. Example: 01/08/2009-24/08/2009.


Project: Web service WSPricing Feed		
Title: User Manual Web service WSPricing Feed		
Version 1.0	Last Modification:01/07/2011	

2.1.3 Response Message Definition

```

<ResponseSearchBySeaPricing>
  <Header>
    <CruiseLineCode></CruiseLineCode>
    <SubsystemId></SubsystemId>
    <AgencyId1></AgencyId1>
    <AgencyId2> /AgencyId2>
    <Currency></Currency>
    <AgencyConsumer />
    <TransactionCounter></TransactionCounter>
  </Header>
  <SearchBySea>
    <GeneralInfo>
      <Errors />
      <Warnings />
      <HowMuch></HowMuch>
      <More></More>
    </GeneralInfo>
    <SailingsList>
      <SailingsListElement>
        <DepartureDate SailingID=""></DepartureDate>
        <PortName></PortName>
        <ShipCode></ShipCode>
        <ShipName></ShipName>
        <CruiseLength></CruiseLength>
        <GeoCode></GeoCode>
        <SailingSt></SailingSt>
        <CruiseLine></CruiseLine>
        <PackageId />
      <PricesFrom>
        <ErrorsInPricesFrom />
        <WarningsInPricesFrom />
      <PricesList>
        <PricesListElement>
          <Category></Category>
          <LAFPrice></LAFPrice>
        </PricesListElement>
      </PricesList>
    </SailingsListElement>
  </SailingsList>
</SearchBySea>
</ResponseSearchBySeaPricing>


```

Project: Web service WSPricing Feed		
Title: User Manual Web service WSPricing Feed		
Version 1.0	Last Modification:01/07/2011	

```


<LAFSt></LAFSt>
<PriceProgram />
<DeckLoc />
<PrecioCabina></PrecioCabina>
<PrecioTotal></PrecioTotal>
</PricesListElement>
</PricesList>
</PricesFrom>
</SailingsListElement>
</SailingsList>
</SearchBySea>
</ResponseSearchBySeaPricing>

```


Project: Web service WSPricing Feed		
Title: User Manual Web service WSPricing Feed		
Version 1.0	Last Modification:01/07/2011	


2.1.4 Segments Definition

Element Name	Type	Attr.	Maximum Length	Occurs	Additional Information
ResponseSearchBySeaPricing	-		-	1	
Header	-		-	1	View Header description.
SearchBySea	-		-	1	
GeneralInfo	-		-	1	
Errors	N		9	1	(1)
Warnings	N		8	1	(1)
HowMuch	N		3	1	
SailingsList	N		-	1	
SailingsListElement	A		-	n	
DepartureDate	N		10	1	Format of date is DD/MM/CCYY.
SailingID	N	Y			Sailing ID
PortName	A		30	1	Valid values can be found in Appendix - NCL Tables, Table 4
ShipCode	A		2	1	Valid values can be found in Appendix - NCL Tables, Table 3
ShipName	A		30	1	Valid values can be found in Appendix - NCL Tables, Table 3
CruiseLength	N		3	1	
GeoCode	A		5	1	Valid values can be found in Appendix - NCL Tables, Table 1.
SailingSt	A		2	1	Valid values are: A – Available C - Closed
CruiseLine					Valid values can be found in Appendix - NCL Tables, Table 2
PackageId	A		8	1	
PricesFrom	-		-	1	
ErrorsInPricesFrom	A		-	1	
WarningsInPricesFrom	A		2	1	
PricesList	-		-	1	
PricesListElement	-		-	N	(5)
Category	A		2	1	
LAFPrice	A		14	1	
LAFSt	A		1	1	
PriceProgram	A		8	1	See descriptions of PriceProgram codes in Appendix - NCL Tables, Table 5
DeckLoc	A		3	1	(2)
PrecioCabina	A		14	1	Cabin Price (3)
PrecioTotal	A		14	1	Total Price (4)

Project: Web service WSPricing Feed		
Title: User Manual Web service WSPricing Feed		
Version 1.0	Last Modification:01/07/2011	

Notes:

1. If applied.
2. Valid values are – “I/S”-Inside, “O/S”-Outside, “S” “D” – Suite and “B” - Balcony.
3. It includes Cabin Price + Fuel Supplement + Gratuities.
4. It includes Cabin Price + Gratuities + Taxes + Port Charges.
5. This node appears one time for I/S location, one time for O/S location , one time for S location, and one time for B location in case there are available categories for these locations.

Project: Web service WSPricing Feed		
Title: User Manual Web service WSPricing Feed		
Version 1.0	Last Modification:01/07/2011	

2.2 Search by Sea

This function allows to get all available product for a fixed geographic code and a period of time. You will get all available rates, categories and pricing for each existing sailing.

This transaction should only be used for 2 passengers (double occupation).


To use message SearchBySeaPricing.

2.2.1 Request Message Definition

```

<RequestSearchBySeaPricing>
  <Header>
    <CruiseLineCode></CruiseLineCode>
    <SubsystemId></SubsystemId>
    <AgencyId1> </AgencyId1>
    <AgencyId2></AgencyId2>
    <Currency></Currency>
    <AgencyConsumer />
    <TransactionCounter></TransactionCounter>
  </Header>
  <SearchBySea>
    <Sea></Sea>
    <DepartureDate></DepartureDate>
    <Guests></Guests>
    <Price />
    <Age1 />
    <Age2 />
    <Age3 />
    <Age4 />
  </SearchBySea>
</RequestSearchBySeaPricing>

```


Project: Web service WSPricing Feed		
Title: User Manual Web service WSPricing Feed		
Version 1.0	Last Modification:01/07/2011	

2.2.2 Segments Definition

Element Name	Type	Maximum Length	Occurs	Additional Information
RequestSearchbySeaPricing	-	-	1	
Header	-	-	1	View Header description.
SearchBySea			1	
Sea	A	5	1	Valid values can be found in Appendix - NCL Tables ,Table 1.
DepartureDate	A	21	1	Format for "date from" - "date to" is DD/MM/CCYY- DD/MM/CCYY (4)
Guests	N	1	1	(1)
Price	A	3	1	(2)
Age1	N	3	1	(3)
Age2	N	3	1	(3)
Age3	N	3	1	(3)
Age4	N	3	1	(3)

Notes

1. You must use "2" - will return for double occupation.
2. You must use "BKD" - will return the amount for each category without Taxes.
3. Not used for NCL.
4. Example: 01/08/2009-24/08/2009.


Project: Web service WSPricing Feed		
Title: User Manual Web service WSPricing Feed		
Version 1.0	Last Modification:01/07/2011	

2.2.3 Response Message Definition

```

<ResponseSearchBySeaPricing>
  <Header>
    <CruiseLineCode></CruiseLineCode>
    <SubsystemId></SubsystemId>
    <AgencyId1></AgencyId1>
    <AgencyId2> /AgencyId2>
    <Currency></Currency>
    <AgencyConsumer />
    <TransactionCounter></TransactionCounter>
  </Header>
  <SearchBySea>
    <GeneralInfo>
      <Errors />
      <Warnings />
      <HowMuch></HowMuch>
      <More></More>
    </GeneralInfo>
    <SailingsList>
      <SailingsListElement>
        <DepartureDate SailingID=""></DepartureDate>
        <PortName></PortName>
        <ShipCode></ShipCode>
        <ShipName></ShipName>
        <CruiseLength></CruiseLength>
        <GeoCode></GeoCode>
        <SailingSt></SailingSt>
        <CruiseLine></CruiseLine>
        <PackageId />
      <PricesFrom>
        <ErrorsInPricesFrom />
        <WarningsInPricesFrom />
      <PricesList>
        <PricesListElement>
          <Category></Category>
          <LAFPrice></LAFPrice>
        </PricesListElement>
      </PricesList>
    </SailingsListElement>
  </SailingsList>
</SearchBySea>
</ResponseSearchBySeaPricing>


```

Project: Web service WSPricing Feed		
Title: User Manual Web service WSPricing Feed		
Version 1.0	Last Modification:01/07/2011	

```


<LAFSt></LAFSt>
<PriceProgram />
<DeckLoc />
<PrecioCabina></PrecioCabina>
<PrecioTotal></PrecioTotal>
</PricesListElement>
</PricesList>
</PricesFrom>
</SailingsListElement>
</SailingsList>
</SearchBySea>
</ResponseSearchBySeaPricing>

```

Project: Web service WSPricing Feed		
Title: User Manual Web service WSPricing Feed		
Version 1.0	Last Modification:01/07/2011	


2.2.4 Segments Definition

Element Name	Type	Attr.	Maximum Length	Occurs	Additional Information
ResponseSearchBySeaPricing	-		-	1	
Header	-		-	1	View Header description.
SearchBySea	-		-	1	
GeneralInfo	-		-	1	
Errors	N		9	1	(1)
Warnings	N		8	1	(1)
HowMuch	N		3	1	
SailingsList	N		-	1	
SailingsListElement	A		-	n	
DepartureDate	N		10	1	Format of date is DD/MM/CCYY.
SailingID	N	Y			Sailing ID
PortName	A		30	1	Valid values can be found in Appendix - NCL Tables, Table 4
ShipCode	A		2	1	Valid values can be found in Appendix - NCL Tables, Table 3
ShipName	A		30	1	Valid values can be found in Appendix - NCL Tables, Table 3
CruiseLength	N		3	1	
GeoCode	A		5	1	Valid values can be found in Appendix - NCL Tables, Table 1.
SailingSt	A		2	1	Valid values are: A – Available
CruiseLine					Valid values can be found in Appendix - NCL Tables, Table 2
PackageId	A		8	1	
PricesFrom	-		-	1	
ErrorsInPricesFrom	A		-	1	
WarningsInPricesFrom	A		2	1	
PricesList	-		-	1	
PricesListElement	-		-	N	
Category	A		2	1	
LAFPrice	A		14	1	
LAFSt	A		1	1	
PriceProgram	A		8	1	See descriptions of PriceProgram codes in Appendix - NCL Tables, Table 5
DeckLoc	A		3	1	(2)
PrecioCabina	A		14	1	Cabin Price (3)
PrecioTotal	A		14	1	Total Price (4)

Project: Web service WSPricing Feed		
Title: User Manual Web service WSPricing Feed		
Version 1.0	Last Modification:01/07/2011	


Notes:

1. If applied.
2. Valid values are – “I/S”-Inside, “O/S”-Outside, “S” “D” – Suite and “B” - Balcony.
3. It includes Cabin Price + Fuel Supplement + Gratuities
4. It includes Cabin Price + Fuel Supplement + Gratuities + Taxes + Port Charges.

Project: Web service WSPricing Feed		
Title: User Manual Web service WSPricing Feed		
Version 1.0	Last Modification:01/07/2011	

3 Header Description

Element Name	Type	Attr.	Maximum Length	Occurs	Additional Information
Header	-		-	1	
CruiseLineCode	A		6	1	Always NCL
SubsystemId	N		1	1	For Production System - "3". For Test System - "2".
AgencyId1	N		9	1	Assigned by NCL
AgencyId2	N		9	1	Assigned by NCL
Currency	A		3	1	Travel Agency currency
AgencyConsumer	A		1	1	"A" – for an agency booking, "C"- for a consumer booking.
TransactionCounter	N		6	1	Client generated.

Project: Web service WSPricing Feed		
Title: User Manual Web service WSPricing Feed		
Version 1.0	Last Modification:01/07/2011	


4 Examples

4.1 Pricing Search by Sea

```

<RequestSearchBySeaPricing>
  <Header>
    <CruiseLineCode>NCL</CruiseLineCode>
    <SubsystemId>2</SubsystemId>
    <AgencyId1>XXXXXXXXXX</AgencyId1>
    <AgencyId2>XXXXXXXXXX</AgencyId2>
    <Currency>EUR</Currency>
    <AgencyConsumer></AgencyConsumer>
    <TransactionCounter>1</TransactionCounter>
  </Header>
  <SearchBySea>
    <Sea>ECAB</Sea>
    <DepartureDate>06/03/2011-07/03/2011</DepartureDate>
    <Guests>2</Guests>
    <Price></Price>
    <Age1></Age1>
    <Age2></Age2>
    <Age3></Age3>
    <Age4></Age4>
  </SearchBySea>
</RequestSearchBySeaPricing>


```

Project: Web service WSPricing Feed		
Title: User Manual Web service WSPricing Feed		
Version 1.0	Last Modification:01/07/2011	

```

<ResponseSearchBySeaPricing>
  <Header>
    <CruiseLineCode>NCL</CruiseLineCode>
    <SubsystemId>2</SubsystemId>
    <AgencyId1>XXXXXXXXXX</AgencyId1>
    <AgencyId2>XXXXXXXXXX</AgencyId2>
    <Currency>EUR</Currency>
    <AgencyConsumer />
    <TransactionCounter>1</TransactionCounter>
  </Header>
  <SearchBySea>
    <GeneralInfo>
      <Errors />
      <Warnings />
      <HowMuch>2</HowMuch>
      <More>N</More>
    </GeneralInfo>
    <SailingsList>
      <SailingsListElement>
        <DepartureDate SailingID="1943066">06/03/2011</DepartureDate>
        <PortName>MIAMI, FLORIDA</PortName>
        <ShipCode>PRL</ShipCode>
        <ShipName>NORWEGIAN PEARL</ShipName>
        <CruiseLength>07</CruiseLength>
        <GeoCode>ECAB</GeoCode>
        <SailingSt>A</SailingSt>
        <CruiseLine>NCL</CruiseLine>
        <PackageId>16487</PackageId>
        <PricesFrom>
          <ErrorsInPricesFrom />
          <WarningsInPricesFrom />
          <PricesList>
            <PricesListElement>
              <Category>II</Category>
              <LAFPrice>609</LAFPrice>
              <LAFSt>A</LAFSt>
              <PriceProgram>CSEES</PriceProgram>
              <DeckLoc>I</DeckLoc>
              <PrecioCabina>1218</PrecioCabina>
              <PrecioTotal>1380</PrecioTotal>
            </PricesListElement>
            <PricesListElement>
              <Category>F</Category>
              <LAFPrice>659</LAFPrice>
              <LAFSt>A</LAFSt>
              <PriceProgram>CSEES</PriceProgram>
              <DeckLoc>O</DeckLoc>
            </PricesListElement>
          </PricesList>
        </PricesFrom>
      </SailingsListElement>
    </SailingsList>
  </SearchBySea>
</ResponseSearchBySeaPricing>


```

Project: Web service WSPricing Feed		
Title: User Manual Web service WSPricing Feed		
Version 1.0	Last Modification:01/07/2011	

```

        <PrecioCabina>1318</PrecioCabina>
        <PrecioTotal>1480</PrecioTotal>
    </PricesListElement>
</PricesListElement>
    <PricesListElement>
        <Category>BC</Category>
        <LAFPrice>839</LAFPrice>
        <LAFSt>A</LAFSt>
    <PriceProgram>CSEES</PriceProgram>
    <DeckLoc>B</DeckLoc>
    <PrecioCabina>1678</PrecioCabina>
    <PrecioTotal>1840</PrecioTotal>
</PricesListElement>
</PricesListElement>
    <PricesListElement>
        <Category>AF</Category>
        <LAFPrice>939</LAFPrice>
        <LAFSt>A</LAFSt>
    <PriceProgram>CSEES</PriceProgram>
    <DeckLoc>D</DeckLoc>
    <PrecioCabina>1878</PrecioCabina>
    <PrecioTotal>2040</PrecioTotal>
</PricesListElement>
</PricesList>
</PricesList>
</PricesFrom>
</SailingsListElement>
<SailingsListElement>
<DepartureDate SailingID="1943118">06/03/2011</DepartureDate>
    <PortName>MIAMI, FLORIDA</PortName>
    <ShipCode>PRL</ShipCode>
    <ShipName>NORWEGIAN PEARL</ShipName>
    <CruiseLength>14</CruiseLength>
    <GeoCode>ECAB</GeoCode>
    <SailingSt>A</SailingSt>
    <CruiseLine>NCL</CruiseLine>
    <PackageId>16513</PackageId>
    <PricesFrom>
        <ErrorsInPricesFrom />
        <WarningsInPricesFrom />
    <PricesList>
        <PricesListElement>
            <Category>F</Category>
            <LAFPrice>1389</LAFPrice>
            <LAFSt>A</LAFSt>
        <PriceProgram>CSEEB</PriceProgram>
            <DeckLoc>O</DeckLoc>
            <PrecioCabina>2778</PrecioCabina>
            <PrecioTotal>3042</PrecioTotal>
        </PricesListElement>


```

Project: Web service WSPricing Feed		
Title: User Manual Web service WSPricing Feed		
Version 1.0	Last Modification:01/07/2011	

```

<PricesListElement>
  <Category>AF</Category>
  <LAFPrice>1859</LAFPrice>
  <LAFSt>A</LAFSt>
  <PriceProgram>CSEEB</PriceProgram>
  <DeckLoc>D</DeckLoc>
  <PrecioCabina>3718</PrecioCabina>
  <PrecioTotal>3982</PrecioTotal>
</PricesListElement>
</PricesList>
</PricesFrom>
</SailingsListElement>
</SailingsList>
</SearchBySea>
</ResponseSearchBySeaPricing>

```

Project: Web service WSPricing Feed		
Title: User Manual Web service WSPricing Feed		
Version 1.0	Last Modification:01/07/2011	

4.2 Search by Sea

```


<RequestSearchBySeaPricing>
  <Header>
    <CruiseLineCode>NCL</CruiseLineCode>
    <SubsystemId>2</SubsystemId>
    <AgencyId1>XXXXXXXXXX</AgencyId1>
    <AgencyId2>XXXXXXXXXX</AgencyId2>
    <Currency>EUR</Currency>
    <AgencyConsumer></AgencyConsumer>
    <TransactionCounter>1</TransactionCounter>
  </Header>
  <SearchBySea>
    <Sea>ECAB</Sea>
    <DepartureDate>06/03/2011-07/03/2011</DepartureDate>
    <Guests>2</Guests>
    <Price></Price>
    <Age1></Age1>
    <Age2></Age2>
    <Age3></Age3>
    <Age4></Age4>
  </SearchBySea>
</RequestSearchBySeaPricing>

```

```

<ResponseSearchBySeaPricing>
  <Header>
    <CruiseLineCode>NCL</CruiseLineCode>
    <SubsystemId>2</SubsystemId>
    <AgencyId1>XXXXXXXXXX</AgencyId1>
    <AgencyId2>XXXXXXXXXX</AgencyId2>
    <Currency>EUR</Currency>
    <AgencyConsumer />
    <TransactionCounter>1</TransactionCounter>
  </Header>
  <SearchBySea>
    <GeneralInfo>
      <Errors />
      <Warnings />
      <HowMuch>2</HowMuch>
      <More>N</More>
    </GeneralInfo>
    <SailingsList>
      <SailingsListElement>
        <DepartureDate SailingID="1943066">06/03/2011</DepartureDate>


```

Project: Web service WSPricing Feed		
Title: User Manual Web service WSPricing Feed		
Version 1.0	Last Modification:01/07/2011	

```

<PortName>MIAMI, FLORIDA</PortName>
<ShipCode>PRL</ShipCode>
<ShipName>NORWEGIAN PEARL</ShipName>
<CruiseLength>07</CruiseLength>
<GeoCode>ECAB</GeoCode>
<SailingSt>A</SailingSt>
<CruiseLine>NCL</CruiseLine>
<PackageId>16487</PackageId>
<PricesFrom>
  <ErrorsInPricesFrom />
  <WarningsInPricesFrom />
  <PricesList>
    <PricesListElement>
      <Category>A1</Category>
      <LAFPrice>7899</LAFPrice>
      <LAFSt>A</LAFSt>
      <PriceProgram>CSEEB</PriceProgram>
      <DeckLoc>D</DeckLoc>
      <PrecioCabina>15798</PrecioCabina>
      <PrecioTotal>15960</PrecioTotal>
    </PricesListElement>
    <PricesListElement>
      <Category>A2</Category>
      <LAFPrice>4029</LAFPrice>
      <LAFSt>A</LAFSt>
      <PriceProgram>CSEEB</PriceProgram>
      <DeckLoc>D</DeckLoc>
      <PrecioCabina>8058</PrecioCabina>
      <PrecioTotal>8220</PrecioTotal>
    </PricesListElement>
    <PricesListElement>
      <Category>A3</Category>
      <LAFPrice>3229</LAFPrice>
      <LAFSt>A</LAFSt>
      <PriceProgram>CSEEB</PriceProgram>
      <DeckLoc>D</DeckLoc>
      <PrecioCabina>6458</PrecioCabina>
      <PrecioTotal>6620</PrecioTotal>
    </PricesListElement>
    <PricesListElement>
      <Category>AA</Category>
      <LAFPrice>3629</LAFPrice>
      <LAFSt>A</LAFSt>
      <PriceProgram>CSEEB</PriceProgram>
      <DeckLoc>D</DeckLoc>
      <PrecioCabina>7258</PrecioCabina>
      <PrecioTotal>7420</PrecioTotal>
  </PricesList>
</PricesFrom>


```

Project: Web service WSPricing Feed		
Title: User Manual Web service WSPricing Feed		
Version 1.0	Last Modification:01/07/2011	

```

</PricesListElement>
<PricesListElement>
  <Category>AF</Category>
  <LAFPrice>939</LAFPrice>
  <LAFSt>A</LAFSt>
  <PriceProgram>CSEES</PriceProgram>
  <DeckLoc>D</DeckLoc>
  <PrecioCabina>1878</PrecioCabina>
  <PrecioTotal>2040</PrecioTotal>
</PricesListElement>
<PricesListElement>
  <Category>AG</Category>
  <LAFPrice>1029</LAFPrice>
  <LAFSt>A</LAFSt>
  <PriceProgram>CSEEB</PriceProgram>
  <DeckLoc>D</DeckLoc>
  <PrecioCabina>2058</PrecioCabina>
  <PrecioTotal>2220</PrecioTotal>
</PricesListElement>
<PricesListElement>
  <Category>BC</Category>
  <LAFPrice>839</LAFPrice>
  <LAFSt>A</LAFSt>
  <PriceProgram>CSEES</PriceProgram>
  <DeckLoc>B</DeckLoc>
  <PrecioCabina>1678</PrecioCabina>
  <PrecioTotal>1840</PrecioTotal>
</PricesListElement>
<PricesListElement>
  <Category>BE</Category>
  <LAFPrice>899</LAFPrice>
  <LAFSt>A</LAFSt>
  <PriceProgram>CSEEB</PriceProgram>
  <DeckLoc>B</DeckLoc>
  <PrecioCabina>1798</PrecioCabina>
  <PrecioTotal>1960</PrecioTotal>
</PricesListElement>
<PricesListElement>
  <Category>DD</Category>
  <LAFPrice>699</LAFPrice>
  <LAFSt>A</LAFSt>
  <PriceProgram>CSEES</PriceProgram>
  <DeckLoc>O</DeckLoc>
  <PrecioCabina>1398</PrecioCabina>
  <PrecioTotal>1560</PrecioTotal>
</PricesListElement>
<PricesListElement>


```


Project: Web service WSPricing Feed		
Title: User Manual Web service WSPricing Feed		
Version 1.0	Last Modification:01/07/2011	

```

        <Category>EE</Category>
        <LAFPrice>679</LAFPrice>
        <LAFSt>A</LAFSt>
    <PriceProgram>CSEES</PriceProgram>
    <DeckLoc>O</DeckLoc>
    <PrecioCabina>1358</PrecioCabina>
    <PrecioTotal>1520</PrecioTotal>
</PricesListElement>
<PricesListElement>
    <Category>F</Category>
    <LAFPrice>659</LAFPrice>
    <LAFSt>A</LAFSt>
    <PriceProgram>CSEES</PriceProgram>
    <DeckLoc>O</DeckLoc>
    <PrecioCabina>1318</PrecioCabina>
    <PrecioTotal>1480</PrecioTotal>
</PricesListElement>
<PricesListElement>
    <Category>II</Category>
    <LAFPrice>609</LAFPrice>
    <LAFSt>A</LAFSt>
    <PriceProgram>CSEES</PriceProgram>
    <DeckLoc>I</DeckLoc>
    <PrecioCabina>1218</PrecioCabina>
    <PrecioTotal>1380</PrecioTotal>
</PricesListElement>
</PricesList>
</PricesFrom>
</SailingsListElement>
<SailingsListElement>
<DepartureDate SailingID="1943118">06/03/2011</DepartureDate>
    <PortName>MIAMI, FLORIDA</PortName>
    <ShipCode>PRL</ShipCode>
    <ShipName>NORWEGIAN PEARL</ShipName>
    <CruiseLength>14</CruiseLength>
    <GeoCode>ECAB</GeoCode>
    <SailingSt>A</SailingSt>
    <CruiseLine>NCL</CruiseLine>
    <PackageId>16513</PackageId>
    <PricesFrom>
        <ErrorsInPricesFrom />
        <WarningsInPricesFrom />
    <PricesList>
        <PricesListElement>
            <Category>A2</Category>
            <LAFPrice>7259</LAFPrice>
            <LAFSt>A</LAFSt>


```

Project: Web service WSPricing Feed		
Title: User Manual Web service WSPricing Feed		
Version 1.0	Last Modification:01/07/2011	

```

<PriceProgram>CSEEB</PriceProgram>
  <DeckLoc>D</DeckLoc>
  <PrecioCabina>14518</PrecioCabina>
  <PrecioTotal>14782</PrecioTotal>
</PricesListElement>
<PricesListElement>
  <Category>AA</Category>
  <LAFPrice>6539</LAFPrice>
  <LAFSt>A</LAFSt>
  <PriceProgram>CSEEB</PriceProgram>
  <DeckLoc>D</DeckLoc>
  <PrecioCabina>13078</PrecioCabina>
  <PrecioTotal>13342</PrecioTotal>
</PricesListElement>
<PricesListElement>
  <Category>AF</Category>
  <LAFPrice>1859</LAFPrice>
  <LAFSt>A</LAFSt>
  <PriceProgram>CSEEB</PriceProgram>
  <DeckLoc>D</DeckLoc>
  <PrecioCabina>3718</PrecioCabina>
  <PrecioTotal>3982</PrecioTotal>
</PricesListElement>
<PricesListElement>
  <Category>DD</Category>
  <LAFPrice>1469</LAFPrice>
  <LAFSt>A</LAFSt>
  <PriceProgram>CSEEB</PriceProgram>
  <DeckLoc>O</DeckLoc>
  <PrecioCabina>2938</PrecioCabina>
  <PrecioTotal>3202</PrecioTotal>
</PricesListElement>
<PricesListElement>
  <Category>EE</Category>
  <LAFPrice>1429</LAFPrice>
  <LAFSt>A</LAFSt>
  <PriceProgram>CSEEB</PriceProgram>
  <DeckLoc>O</DeckLoc>
  <PrecioCabina>2858</PrecioCabina>
  <PrecioTotal>3122</PrecioTotal>
</PricesListElement>
<PricesListElement>
  <Category>F</Category>
  <LAFPrice>1389</LAFPrice>
  <LAFSt>A</LAFSt>
  <PriceProgram>CSEEB</PriceProgram>
  <DeckLoc>O</DeckLoc>


```

Project: Web service WSPricing Feed		
Title: User Manual Web service WSPricing Feed		
Version 1.0	Last Modification:01/07/2011	

```

<PrecioCabina>2778</PrecioCabina>
<PrecioTotal>3042</PrecioTotal>
</PricesListElement>
</PricesList>
</PricesFrom>
</SailingsListElement>
</SailingsList>
</SearchBySea>
</ResponseSearchBySeaPricing>

```

Project: Web service WSPricing Feed		
Title: User Manual Web service WSPricing Feed		
Version 1.0	Last Modification:01/07/2011	


5 Appendix – NCL Tables.

5.1 Table 1 – Geographic Area Code

Brand	Region	Description
NCL	ALSG	Alaska - Seattle
NCL	ALSR	Alaska - Seattle
NCL	ALSS	Alaska - Seattle
NCL	BAHN	Bahamas 3-4 nights
NCL	BERB	Bermuda - Boston
NCL	ECAB	Eastern Caribbean - Other
NCL	EMCM	Canary Islands / Morocco
NCL	EUCI	Canary Islands / Morocco
NCL	EUMD	Europe - Med Egypt & Greek Isles
NCL	EUNI	Europe - Other
NCL	EUSC	Europe - Baltic
NCL	EUWE	Europe - Adriatic, Greece & Turkey - Venice
NCL	HWAI	Hawaii HNL Inter Island
NCL	INAE	Other Revenue
NCL	MEXV	Mexican Riviera - Los Angeles
NCL	NENY	Canada & New England - Boston
NCL	PCAR	Repo - Panama Canal
NCL	PCOR	Repo - Pacific Coastal
NCL	SCRB	Southern Caribbean - Miami
NCL	TASR	Repo - Transatlantic
NCL	WCAB	Western Caribbean - Other


5.2 Table 2 – Cruise Line Code

Cruises Line Code
NCL

Project: Web service WSPricing Feed		
Title: User Manual Web service WSPricing Feed		
Version 1.0	Last Modification:01/07/2011	


5.3 Table 3 – Ship Code – Ship Name

Cruise Line code	Ship code	Ship Name
NCL	AME	PRIDE OF AMERICA
NCL	SPR	NORWEGIAN SPIRIT
NCL	EPC	NORWEGIAN EPIC
NCL	DWN	NORWEGIAN DAWN
NCL	JAD	NORWEGIAN JADE
NCL	JWL	NORWEGIAN JEWEL
NCL	SUN	NORWEGIAN SUN
NCL	GEM	NORWEGIAN GEM
NCL	PRL	NORWEGIAN PEARL
NCL	STA	NORWEGIAN STAR
NCL	SKY	NORWEGIAN SKY


Project: Web service WSPricing Feed		
Title: User Manual Web service WSPricing Feed		
Version 1.0	Last Modification:01/07/2011	

5.4 Table 4 – Port Codes – Port Names


Code	Port Name
ACA	ACAPULCO, MEXICO
AES	ALESUND, NORWAY
AGA	AGADIR, MOROCCO
AGP	MALAGA (GRANADA), SPAIN
ALA	ALANYA, TURKEY
ALY	ALEXANDRIA (CAIRO), EGYPT
AMS	AMSTERDAM, NETHERLANDS
ANU	ST. JOHS, ANTIGUA
ASH	ASHDOD, ISRAEL
AST	ASTORIA, OR
BAS	BASSETERRE, SAINT KITTS - NEVIS
BCN	BARCELONA, SPAIN
BFS	BELFAST, UNITED KINGDOM
BGI	BRIDGETOWN, BARBADOS
BGO	BERGEN, NORWAY
BHB	BAR HARBOR, MAINE, ME
BHB	BAR HARBOR, ME
BOS	BOSTON, MA
BZE	BELIZE CITY, BELIZE
CAS	CASABLANCA, MOROCCO
CBK	CORNERBROOK, CANADA
CFU	CORFU, GREECE
CHA	CHARLOTTETOWN, PRINCE EDWARD I, CANADA
CIP	CRUISE INSIDE PASSAGE ALASKA, AT SEA
CIV	CIVITAVECCHIA (ROME), ITALY
CMA	NCL MAYA, MEXICO
CPH	COPENHAGEN, DENMARK
CRU	CRUISING
CSL	CABO SAN LUCAS, MEXICO
CTG	CARTAGENA, COLOMBIA
CZM	COZUMEL, MEXICO
DBV	DUBROVNIK, CROATIA
DUB	DUBLIN, IRELAND
DVR	DOVER (LONDON), GREAT BRITAIN
EYW	KEY WEST, FL
FMH	FALMOUTH, JAMAICA
FNC	FUNCHAL, PORTUGAL
FPO	GRAND BAHAMA ISLAND, BAHAMAS

Project: Web service WSPricing Feed		
Title: User Manual Web service WSPricing Feed		
Version 1.0	Last Modification:01/07/2011	

GCI	GUERNSEY, GREAT BRITAIN
GEC	GEORGETOWN, CAYMAN ISLANDS
GEC	GEORGETOWN, CAYMAN ISLANDS
GRK	GREENOCK, GREAT BRITAIN
HAL	HALIFAX, CANADA
HAL	HALIFAX, NOVA SCOTIA, CANADA
HEL	HELSINKI, FINLAND
HER	IRAKLION, CRETE, GREECE
HFA	HAIFA, ISRAEL
HNL	HONOLULU, HI
HUX	HUATULCO, MEXICO
ITO	HILO, HI
IZM	IZMIR (EPHESUS), TURKEY
JMK	MYKONOS, GREECE
JNU	JUNEAU, AK
JTR	SANTORINI ISLAND, GREECE
KAK	KATAKOLON, GREECE
KOA	KONA, HI
KOP	KOPER, SLOVENIA
KTN	KETCHIKAN, AK
LAX	LOS ANGELES, CA
LCG	LA CORUNA, SPAIN
LED	ST. PETERSBURG, RUSSIAN FEDERATION
LED	ST. PETERSBURG, RUSSIAN FEDERATION
LER	LERWICK, GREAT BRITAIN
LIS	LISBON, PORTUGAL
LIV	LIVORNO (FLORENCE/PISA), ITALY
LMS	LIMASSOL, CYPRUS
LPA	LAS PALMAS, GRAN CANARIA, SPAIN
MCM	MONTE CARLO, MONACO
MIA	MIAMI, FL
MLA	VALLETTA, MALTA
MRS	MARSEILLE, FRANCE
MSN	MESSINA, ITALY
MSY	NEW ORLEANS, LA
MZT	MAZATLAN, MEXICO
NAF	NAFPLION, GREECE
NAP	NAPLES/POMPEII, ITALY
NAS	NASSAU, BAHAMAS
NNO	NANAIMO, CANADA
NPI	GREAT STIRRUP CAY, BAHAMAS

Project: Web service WSPricing Feed		
Title: User Manual Web service WSPricing Feed		
Version 1.0	Last Modification:01/07/2011	

NPO	NEWPORT, RI
NWK	NAWILIWILI (KAUAI), HI
NYC	NEW YORK CITY, NY
NYN	NYNASHAMN (STOCKHOLM), SWEDEN
OCJ	OCHO RIOS, JAMAICA
OGG	KAHULUI (MAUI), HI
ORJ	ORANJESTAD, ARUBA
PAS	PUNTARENAS, NCL RICA
PCV	PORT CANAVERAL (ORLANDO), FL
PCV	PORT CANAVERAL, FL
PDL	PONTA DELGADA, PORTUGAL
PHI	PHILIPSBURG ST. MAARTEN, NETHERLAND ANTILLES
PIR	PIRAEUS (ATHENS), GREECE
PMI	PALMA MAJORCA, SPAIN
PRQ	PUERTO QUETZAL, GUATEMALA
PRR	PRINCE RUPERT, BC, CANADA
PSD	PORT SAID, EGYPT
PVR	PUERTO VALLARTA, MEXICO
PWM	PORTLAND, ME
QUE	QUEBEC CITY, CANADA
REY	REYKJAVIK, ICELAND
RSU	ROSEAU, DOMINICA
RTB	ROATAN, BAY ISLANDS, HONDURAS
SAM	SAMANA, DOMINICAN REPUBLIC
SEA	SEATTLE, WA
SEI	SEPT-ILES, CANADA
SFO	SAN FRANCISCO, CA
SGY	SKAGWAY, AK
SJB	SAINT JOHN, BAY OF FUNDY, CANADA
SJB	ST. JOHN, NEW BRUNSWICK, CANADA
SJU	SAN JUAN, PR
SPU	SPLIT, CROATIA
STT	ST.THOMAS, VI
SVQ	CADIZ, SPAIN
SYN	SYDNEY, NOVA SCOTIA, CANADA
TDE	SANTO TOMAS DE CASTILLA, GUATEMALA
THO	TÓRSHAVN, FAROE ISLANDS
TLL	TALLINN, ESTONIA
TOV	TORTOLA, BRITISH VIRGIN ISLANDS
TPA	TAMPA, FL

Project: Web service WSPricing Feed		
Title: User Manual Web service WSPricing Feed		
Version 1.0	Last Modification:01/07/2011	

TPC	TRANSIT PANAMA CANAL, AT SEA
VAN	VANCOUVER, CANADA
VCE	VENICE, ITALY
VGO	VIGO, SPAIN
VIC	VICTORIA, BC, CANADA
VIC	VICTORIA, CANADA
WAR	WARNEMUNDE (BERLIN), GERMANY
WAT	WATERFORD, IRELAND
WIL	WILLEMSTAD, NETHERLAND ANTILLES
WRF	KINS WHARF, BERMUDA
YBL	CAMPBELL RIVER, CANADA
ZEE	ZEEBRUGGE (BRUSSELS/BRUGGE), BELGIUM
VIC	VICTORIA, BC, CANADA
VIC	VICTORIA, CANADA
WAR	WARNEMUNDE (BERLIN), GERMANY
WAT	WATERFORD, IRELAND
WIL	WILLEMSTAD, NETHERLAND ANTILLES
WRF	KINS WHARF, BERMUDA
YBL	CAMPBELL RIVER, CANADA
ZEE	ZEEBRUGGE (BRUSSELS/BRUGGE), BELGIUM

5.5 Table 5 – PriceType

Code	Description
CSEES	Precio Oferta
CSEEB	Precio Folleto
CSEES2	Precio Oferta
CSEEBX	Precio Folleto
CSEFLC	Precio Folleto